

A guide to avoiding shortcuts that cut out math concept development

by

Tina Cardone and

the online math community known as the MTBoS

NIX THE TRICKS


 $\begin{tabular}{ll} \bf by \\ \bf Tina\ Cardone\ and\ the\ MTBoS \\ \end{tabular}$

Updated: November 29, 2013



This work is licensed under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 Unported License. To view a copy of this license, visit CreativeCommons.org

All student work was collected by classroom teachers during the course of regular lessons, then submitted to MathMistakes.org. To protect the privacy of students (and in many cases to improve legibility), each example was re-written in the author's handwriting.



Contents

Pı	refac	e	vi
1	Inti	roduction	1
2	Ope	erations and Algebraic Thinking	3
	2.1	Nix: Same-Change-Change, Keep-Change-Change (Integer Ad-	
		dition)	3
	2.2	Nix: Two Negatives Make a Positive (Integer Subtraction)	4
	2.3	Nix: Two Negatives Make a Positive (Integer Multiplication) .	5
	2.4	Nix: PEMDAS, BIDMAS	6
	2.5	Nix: The Square Root and the Square Cancel	7
	2.6	Nix: The Log and the Exponent Cancel	8
3	Rat	ios and Proportional Relationships	10
	3.1	Nix: Butterfly Method, Jesus Fish	10
	3.2	Nix: Cross Multiply (Fraction Division)	12
	3.3	Nix: Flip and Multiply, Same-Change-Flip	14
	3.4	Nix: Cross Multiply (Solving Proportions)	15
4	Ari	thmetic With Polynomials	17
	4.1	Nix: FOIL	17
5	Rea	soning with Equations and Inequalities	19
	5.1	Nix: 'Hungry' Inequality Symbols	19
	5.2	Nix: Follow the Arrow (Graphing Inequalities)	20
	5.3	Nix: Cancel	21
	5.4	Nix: Take/Move to the Other Side	22

	5.5 Nix: Switch the Side and Switch the Sign	23
6	Interpreting Functions 6.1 Nix: What is b?	24 24
7	Geometry 7.1 Nix: Distance Formula	25 25
\mathbf{A}	Index of Tricks by Standards	26
В	Types of Tricks B.1 Tricks Students Misinterpret	28 28
\mathbf{C}	Back Cover	30

Preface

In the beginning, there was a calculus teacher complaining about students' lack of a definition of slope. Then there was a conversation among my department members on tricks we hate seeing kids show up to our classes with. I expanded the conversation to members of my online math community. We brainstormed and debated what constituted a trick and which were the worst offenders. I organized. More people joined in on the conversation and shared better methods to emphasize understanding over memorization. I organized some more. Contributions started to slow down. The end result was 17 pages in a google doc. I had grand dreams of a beautifully formatted resource that we could share with teachers everywhere. A few people shared my dream. We discussed formatting and organization and themes. Finally, inspired by NaNoWriMo, I opened up LaTeX and started typesetting. I got some help. This document was born. I hope you enjoy it all the more knowing how many people's ideas are encapsulated here.

Thanks to all contributors:

Chuck Baker	Chris Hill	Julie Reulbach
Ashli Black	Scott Hills	Gabe Rosenberg
Jim Doherty	Chris Hlas	Sam Shah
Mary Dooms	Bowen Kerins	Jack Siderer
Nick Doran	Rachel Kernodle	Gregory Taylor
Bridget Dunbar	Yvonne Lai	Sue VanHattum
Michael Fenton	Bob Lochel	Lane Walker
Paul Flaherty	Jonathan Newman	Lim Wei Quan
Peggy Frisbie	Kate Nowak	Amy Zimmer
Emmanuel Garcia	Jami Packer	and many more who
John Golden	Jim Pai	chose to remain anony-
Megan Hayes-Golding	Michael Pershan	mous

Each chapter follows a concept thread. For example, you might see how content knowledge should build from drawing representations of fractions to solving proportions. Feel free to read this as a book, from front to back, or jump directly to those sections that apply to your grade level of interest.

Introduction

This text is inspired by committed teachers who want to take the magic out of mathematics and focus on the beauty of sense-making. It is written for reflective teachers who embrace the Standards for Mathematical Practice. The contributors are people who wish for teachers everywhere to seek coherence and connection rather than offer students memorized procedures and short-cutting tricks. Students are capable of rich conceptual understanding; do not rob them of the opportunity to experience the discovery of new concepts.

This is a hard step to take, students will have to think and they will say they do not want to. Students (and parents and tutors) will need to readjust their expectations; but it is in the best interest of students everywhere to make the focus of mathematics critical thinking. Will you help math reclaim its position as a creative and thought-provoking subject?

"But it's just to help them remember - I taught them the concept!"

SOH CAH TOA is a mnemonic device. There is no underlying reason why sine is the ratio of opposite to hypotenuse, it is a definition. Kids can use this abbreviation without losing any understanding.

FOIL is a trick. There is a good reason why we multiply binomials in a certain way, and this acronym circumvents understanding the power of the distributive property. If you teach the distributive property, have students develop their own shortcut and then give it a name, that is awesome. However, the phrase "each by each" is more powerful since it does not imply that a certain order is necessary (my honors PreCalc students were shocked to hear OLIF would work just as well as FOIL) and reminds students what they

are doing. Many students will wait for the shortcut and promptly forget the reason behind it if the trick comes too soon.

"My students can't understand the higher level math, but they do great with the trick."

If students do not understand, they are not doing math. Do not push students too far, too fast (adolescent brains need time to develop before they can truly comprehend abstraction), but do not sell your students short either. The world does not need more robots; asking children to mindlessly follow an algorithm is not teaching them anything more than how to follow instructions. There are a million ways to teach reading and following directions, do not reduce mathematics to that single skill. Allow students to experience and play and notice and wonder. They will surprise you! Being a mathematician is not limited to rote memorization (though learning the perfect squares by heart will certainly help one to recognize that structure). Being a mathematician is about critical thinking, justification and using tools of past experiences to solve new problems. Being a successful adult involves pattern finding, questioning others and perseverance. Focus on these skills and allow students to grow into young adults who can think; everything else will come in time.

Read through these pages with an open mind. Consider how you can empower students to discover a concept and find their own shortcuts (complete with explanations!). I do not ask you to blindly accept these pages as fact any more than I would ask students to blindly trust teachers. Engage with the content and discover the best teaching approaches for your situation. Ask questions, join debates and make suggestions at NixTheTricks.com or share and discuss with your colleagues.

Operations and Algebraic Thinking

2.1 Nix: Same-Change-Change, Keep-Change-Change (Integer Addition)

Because:

It has no meaning and there is no need for students to memorize a rule here. They are be able to reason about adding integers (and extrapolate to the reals).

$$2+(-5)$$

Keep Change Change
 $2-(+5)$

A trick will circumvent thinking when the only tool they need is a number line.

This student takes Same-Change-Change and expands it to multiplication and division. Because if you can magically switch between addition and subtraction, why not switch multiplication and division?

$$100/(-2)$$
 $100 \times (+2) = 200$

http://mathmistakes.org/?p=328

Fix:

Once students are comfortable adding and subtracting whole numbers on the number line, all they need to add to their previous understanding is that a negative number is the opposite of a positive number.

- 2+5 Start at 2, move 5 spaces to the right
- 2 + (-5) Start at 2, move 5 spaces to the *left* (opposite of right)
- 2-5 Start at 2, move 5 spaces to the *left*
- 2-(-5) Start at 2, move 5 spaces to the *right* (opposite of left)

2.2 Nix: Two Negatives Make a Positive (Integer Subtraction)

Because: 2--5Again, it has no meaning and there is no need for students to memorize a rule here. 2+5or 2+5

Fix:

As was the case above, students can reason through this on the number line. Once students recognize that addition and subtraction are opposites, and that positive and negative numbers are opposites, they will see that two opposites gets you back to the start. Just as turning around twice returns you to facing forward.

$$2-(-5) \Rightarrow \text{ Start at 2, move } (-5) \text{ spaces to the } left$$

 $\Rightarrow \text{ Start at 2, move 5 spaces to the } right \text{ (opposite of left)}$
 $\Rightarrow 2+5$

Therefore, 2 - (-5) = 2 + 5.

2.3 Nix: Two Negatives Make a Positive (Integer Multiplication)

Because:

(-3)(-2) =(+3)(+2) =

Many students will overgeneralize and mistakenly apply this rule to addition as well as multiplication and division.

For example, this student seems to be thinking: "Negative and negative = positive, right?"

$$(-4)-7$$
 $(-4)^{\oplus}-7=11$

Fix:

http://mathmistakes.org/?p=328

Students are able to reason about multiplying integers (and extrapolate to the reals) independently. They can look at patterns and generalize from a few approaches. One option is to use opposites:

We know that (3)(2) = 6.

So what should (-3)(2) equal? The opposite of 6, of course! Therefore, (-3)(2) = -6.

So, what should (-3)(-2) equal? The opposite of -6, of course! Therefore, (-3)(-2) = 6.

Another option is to use patterning. Since students are already familiar with the number line extending in both directions, they can continue to skip count their way right past zero into the negative integers.

Students can use the following pattern to determine that (3)(-2) = -6:

Product	Result
(3)(2)	6
(3)(1)	3
(3)(0)	0
(3)(-1)	-3
(3)(-2)	-6

With (3)(-2) = -6 in hand, students can use the following pattern to determine that (-3)(-2) = 6:

Product	Result
(3)(-2)	$\overline{-6}$
(2)(-2)	-4
(1)(-2)	-2
(0)(-2)	0
(-1)(-2)	2
(-2)(-2)	4
(-3)(-2)	6

2.4 Nix: PEMDAS, BIDMAS

Because:

Students interpret the acronym in the order the letters are presented, leading them to multiply before dividing and add before subtracting.

PEMDAS $() \land */+-$

For example, students often incorrectly evaluate $6 \div 2 \cdot 5$ as follows:

Incorrect:
$$6 \div 2 \cdot 5 = 6 \div 10 = 0.6$$

Correct:
$$6 \div 2 \cdot 5 = \frac{6}{2} \cdot 5 = 3 \cdot 5 = 15$$

Fix:

Students should know that mathematicians needed a standard order of operations for consistency. The most powerful operations should be completed first - exponents increase at a greater rate than multiply, which increases at a greater rate than addition. Sometimes we want to use a different order, so we use grouping symbols to signify "do this first" when it is not the most powerful operation. If students are still looking for a way to remember the order, replace the confusing acronym PEMDAS with the clearer GEMA.

G is for grouping, which is better than parentheses because it includes all types of groupings such as brackets, absolute value, expressions under square roots, the numerator of a fraction, etc. Grouping also implies more than one item, which eliminates the confusion students experience when they try to "Do the parentheses first." in 4(3).

E is for exponents. Nothing new here.

M is for multiplication. Division is implied. Since only one letter appears for both operations, it is essential to emphasize the important inverse relationship between multiplication and division. For example, discuss the equivalence of dividing by a fraction and multiplying by the reciprocal.

A is for addition. Subtraction is implied. Again, since only one letter appears for both operations, it is essential to emphasize the important inverse relationship between addition and subtraction. You might talk about the equivalence of subtraction and adding a negative.

2.5 Nix: The Square Root and the Square Cancel

Because:

Cancel is a vague term, it invokes the image of $\sqrt{x^2} = x$ terms/values/variables magically disappearing. The goal is to make mathematics less about magic and more about reasoning. Something is happening here, let students see what is happening! Plus, the square root is only a function when you restrict the domain!

Fix:

Insist that students show each step instead of canceling operations.

$$\sqrt{(-5)^2} \neq -5$$
 because $\sqrt{(-5)^2} = \sqrt{25} = 5$


$$x^2 = 25 \quad \Rightarrow \quad x = \sqrt{25}$$

If you "cancel" the square with a square root you miss a solution.

Instead:

$$\sqrt{x^2} = \sqrt{25}$$
 \Leftrightarrow $|x| = \sqrt{25}$ \Leftrightarrow $x = \pm \sqrt{25}$

Another approach is to have students plot $y = \sqrt{x^2}$ and $y = (\sqrt{x})^2$ on their graphing utilities and compare results.



2.6 Nix: The Log and the Exponent Cancel

Because:

Cancel is a vague term, it invokes the image of $2^{\log_2 x} = \chi$ terms/values/variables magically disappearing. The goal is to make mathematics less about magic and more about reasoning. Something is happening here, let students see what is happening!

$$\log_2 x = 4$$
$$2^{\log_2 x} = 2^4$$
$$x = 2^4$$

Students think the second line looks scary and it is rather ridiculous to write this step out if you know the definition of a log.

If students are not thinking about the definition of a log, they will try to solve the new function in the ways they are familiar with.

Student divides by the function:

$$\frac{2\log(6x) - \log(9) = \log(36)}{\log \log \log 6x - 9 = 36}$$

$$\log 6x - 9 = 36$$

$$\log 6x = 45$$

http://mathmistakes.org/?p=95

This student divides by the base:

$$\frac{\ln(4) + \ln(6x) = \ln(48)}{e}$$

$$e$$

$$e$$

$$e$$

$$e$$

$$6x = 44$$

$$x = 7.4$$

http://mathmistakes.org/?p=67

Fix:

Rewrite the log in exponent form, then solve using familiar methods. This is another reason to teach the definition of logarithms; then there is no confusion about the relationship between logs and exponents.

The log asks the question "base to what power equals value?"

$$log_{base}$$
 value = power
 $base^{power}$ = value

$$\log_2 4 = y$$

$$2^{y} = 4$$

$$y = 2$$

$$\log_2 x = 4$$

$$2^4 = x$$

Ratios and Proportional Relationships

Ratios and proportions are a new way of thinking for elementary students. Teachers often bemoan the difficulty that kids have with fractions, but it is because we rob them of the opportunity to develop any intuition with them. The first experience most people have with math is counting, then adding, along with additive patterns. Even when they start multiplying, it tends to be defined as repeated addition. Fractions are the first time when adding will not work, and it messes students up. Skip the shortcuts and let your kids see that fractions, ratios and proportions are multiplicative - a whole new way to interpret the world!

3.1 Nix: Butterfly Method, Jesus Fish


Because:

Students have no idea why it works and there is no mathematical reasoning behind the butterfly, no matter how pretty it is.

$$\begin{array}{c}
10) + (12) \\
2 + 4 \\
\hline
3 + 5
\end{array} = \frac{22}{15}$$

Fix:

If students start with visuals such as fraction strips they will discover the need to have like terms before they can add. Say a student wants to add $\frac{1}{2} + \frac{1}{4}$. They may start with a representation of each fraction, then add the fractions by placing them end to end. The representation is valid, but there is no way to write this new diagram as a single fraction. To do so, students need to cut the whole into equal parts. After some experience, students will realize they need common denominators to add. After still more experience adding fractions with common denominators, students will realize they can simply add the numerators (which is equivalent to counting




the number of shaded pieces) while keeping the denominator the same (as the size of the pieces does not change).

Fractions can be compared and added/subtracted with any common denominator, there is no mathematical reason to limit students to the least common denominator. Many visual/manipulative methods will not give least common denominators (instead using the product of the denominators) and that is just fine! Accept any denominator that is computationally accurate. Students may eventually gravitate towards the least common denominator as they look for the easiest numbers to work with. In the meantime, encourage students to compare different methods - do different common denominators give different answers? Are they really different or might they be equivalent? How did that happen? Fractions can even be compared with common numerators - a fascinating discussion to have with students of any age!

Kids want to use the phrase "Cross Multiply" for everything: How do we multiply fractions? "Cross Multiply!" How do we divide fractions? "Cross Multiply!" Those are three entirely different processes; they need different names. For multiplication of fractions "Cross Multiply" means "multiply across" (horizontally) and there isn't usually a trick associated with this operation. I have found that by high

school most students don't have any difficulty with this operation - it matches their intuition. In fact, they like this method so much they want to extend it to other operations (non-example: to add fractions, add the numerators and add the denominators) which fails. Instead of saying cross multiply, use the precise (though admittedly cumbersome) phrase "multiply numerator by numerator and denominator by denominator" when students need a reminder of how to multiply fractions. Or better yet, avoid using any phrase at all and direct students to an area model to determine the product.



To multiply $\frac{2}{3} \cdot \frac{4}{5}$ find the area shaded by both - that is two-thirds of four-fifths. The fifths are each divided into thirds and two of the three are shaded. The resulting product is $\frac{8}{15}$.

3.2 Nix: Cross Multiply (Fraction Division)

Because:

Division and multiplication are different (albeit related) operations, one cannot magically switch the operation in an expression. Plus, students confuse "cross" (diagonal) with "across" (horizontal). Not

$$\frac{2}{3} \div \frac{4}{5} = \frac{10}{12}$$

to mention, where does the answer go? Why does one product end up in the numerator and the other in the denominator?

Fix:

Use the phrase "multiply by the reciprocal" but only after students understand where this algorithm comes from. The reciprocal is a precise term that

should also remind students why we are switching the operation.

$$\frac{2}{3} \div \frac{2}{3} = 1$$
 easy!
$$\frac{2}{3} \div \frac{1}{3} = 2$$
 makes sense
$$\frac{4}{5} \div \frac{3}{5} = \frac{4}{3}$$
 not as obvious, but still dividing the numerators
$$\frac{4}{5} \div \frac{1}{2} = ?$$
 no idea!

If the last problem looked like the previous examples, it would be easier. So let's rewrite with common denominators:

$$\frac{8}{10} \div \frac{5}{10} = \frac{8}{5} \qquad \text{makes sense}$$

If students are asked to solve enough problems in this manner, they will want to find a shortcut and may recognize the pattern. Show them (or ask them to prove!) why multiplying by the reciprocal works:

$$\frac{4}{5} \div \frac{1}{2} = \frac{4 \cdot 2}{5 \cdot 2} \div \frac{1 \cdot 5}{2 \cdot 5}$$
$$= \frac{4 \cdot 2}{1 \cdot 5}$$
$$= \frac{4 \cdot 2}{5 \cdot 1}$$
$$= \frac{4}{5} \cdot \frac{2}{1}$$

In this case students discover that multiplying by the reciprocal is the equivalent of getting the common denominator and dividing the numerators. This is not an obvious fact. Students will only reach this realization with repeated practice, but practice getting common denominators is a great thing for them to be doing! More importantly, the student who forgets this generalization can fall back on an understanding of common denominators, while the student who learned a rule after completing this exercise once (or not at all!) will guess at the rule rather than attempt to reason through the problem.

A second approach uses compound fractions. Depending on what experience students have with reciprocals, this might be a more friendly option. It has the added bonus of using a generalizable concept of multiplying by "a convenient form of one" which applies to many topics, including the application of unit conversions. To begin, the division of two fractions can be written as one giant (complex or compound) fraction.

$$\frac{\frac{4}{5}}{\frac{1}{2}} = \frac{\frac{4}{5}}{\frac{1}{2}} \cdot 1$$

$$= \frac{\frac{4}{5} \cdot \frac{2}{1}}{\frac{1}{2}}$$

$$= \frac{\frac{4}{5} \cdot \frac{2}{1}}{1}$$

$$= \frac{4}{5} \cdot \frac{2}{1}$$

3.3 Nix: Flip and Multiply, Same-Change-Flip

Because:

Division and multiplication are different (albeit related) operations, one cannot magically switch the operation in an expression. Plus, students get confused as to what to "flip." $\frac{2}{3} \div \frac{4}{5} = \frac{2}{3} \cdot \frac{\cancel{5}}{\cancel{4}}$


Fix:

Use the same methods as described in the fix of Section 3.2.

3.4 Nix: Cross Multiply (Solving Proportions)

Because:

Students confuse "cross" (diagonal) with "across" (horizontal) multiplication, and/or believe it can be use everywhere (such as in multiplication of fractions).




Correct multiplication of fractions:
$$\frac{1}{2} \cdot \frac{3}{4} = \frac{1 \cdot 3}{2 \cdot 4} = \frac{3}{8}$$

Common error:
$$\frac{1}{2} \cdot \frac{3}{4} = \frac{1 \cdot 4}{2 \cdot 3} = \frac{4}{6}$$


More importantly, you're not magically allowed to multiply two sides of an equation by different values to get an equivalent equation. This process doesn't make sense to students, so they are memorizing a procedure, not understanding a method. Which means that when they forget a step, they guess.

This student tries to multiply fractions using cross multiplication:



http://mathmistakes.org/?p=476

This student uses cross addition instead of multiplication:



http://mathmistakes.org/?p=1320

Fix:

Instruct solving all equations (including proportions, they aren't special!) by inverse operations.

$$\frac{3}{5} = \frac{x}{10}$$

$$10 \cdot \frac{3}{5} = 10 \cdot \frac{x}{10}$$

$$10 \cdot \frac{3}{5} = x$$

$$6 = x$$

Encourage students to look for shortcuts such as common denominators, common numerators or scale factors. Once students know when and why a shortcut works, skipping a few steps is okay, but students must know why their shortcut is "legal algebra" and have a universal method to fall back on.

Shortcuts:

$$\frac{3}{5} = \frac{x}{5} \Leftrightarrow x = 3$$
 no work required, meaning of equal
$$\frac{3}{5} = \frac{x}{10} \Leftrightarrow \frac{3 \cdot 2}{5 \cdot 2} = \frac{x}{10} \Leftrightarrow x = 6$$
 multiply a fraction by 1 to get an equivalent fraction
$$\frac{4}{8} = \frac{x}{10} \Leftrightarrow x = 5$$
 students are quick to recognize $\frac{1}{2}$ but any multiplicative relationship works
$$\frac{5}{3} = \frac{10}{x} \Leftrightarrow \frac{3}{5} = \frac{x}{10}$$
 take the reciprocal of both sides of the equation

to get the variable into the numerator

Arithmetic With Polynomials

4.1 Nix: FOIL

Because:

It implies an order - a few of my Honors Pre-Calculus students were shocked to learn that OLIF works just as well as FOIL does. It is also a one trick pony. There are other ways

$$(2x+3)(x-4)$$
First Inside $2x^2-8x+3x-12$
Outside Last

to multiply binomials that are transferrable to later work such as multiplying larger polynomials and factoring by grouping.

When students memorize a rule without understanding they will misapply it.

http://mathmistakes.org/?p=1180

http://mathmistakes.org/?p=1100

Fix:

Replace FOIL with the distributive property. It can be taught as soon as distribution is introduced. Students should start by distributing one binomial to each part of the second binomial. Then distribution is repeated on each

monomial being multiplied by a binomial. As students repeat the procedure they will realize that each term in the first polynomial must be multiplied by each term in the second polynomial. This pattern, which you might term "each by each" carries through the more advanced versions of this exercise.

In elementary school students learn an array model for multiplying number. The box method builds on this knowledge of partial products.

$$25 \cdot 43 = (20 + 3)(40 + 5)$$

$$= 20(40 + 5) + 3(40 + 5)$$

$$= 20 \cdot 40 + 20 \cdot 5 + 3 \cdot 40 + 3 \cdot 5$$

$$= 800 + 100 + 120 + 15$$

	40	5
20	800	100
3	120	15

$$(2x+3)(x-4)$$

$$=(2x+3)(x) + (2x+3)(-4)$$

$$=2x^2 + 3x - 8x - 12$$

$$=2x^2 - 5x - 12$$

	2x	3
X	$2x^2$	3x
-4	-8x	-12

Reasoning with Equations and Inequalities

5.1 Nix: 'Hungry' Inequality Symbols

Because: 3 < 5

Students get confused with the alligator/pacman analogy. Is the bigger value eating the smaller one? Is it the value it already ate or the one it is about to eat?

4 > 2


Fix:

Ideally students have enough exposure to these symbols that they memorize the meaning. Just as they see and write = when they hear or say "equal," students should see and write < when they hear or say "less than." To help students before they internalize the meaning, have them analyze the shape. Instead of the segments being parallel like in an equal symbol, which has marks that are the same distance apart on both sides, the bars have been tilted to make a smaller side and a larger side. The greater number is next to the wider end and the lesser number is next to the narrower end. Beware of language here: use "greater" rather than "bigger" because when integers are brought into play "bigger" creates trouble.

5.2 Nix: Follow the Arrow (Graphing Inequalities)

Because:

The inequalities x > 2 and 2 < x are equivalent and equally valid, yet they point in opposite directions. Plus, not all inequalities will be graphed on a horizontal number line!



Fix:

Students should understand what the inequality symbol means. Ask students, "Are the solutions greater or lesser than the endpoint?" This is a great time to introduce test points - have students plot the endpoint, test a point in the inequality and then shade in the appropriate direction. While this seems like more work than knowing which direction to shade, it is a skill that applies throughout mathematics (including calculus!).

Since the symbolic representation of an inequality is more abstract than a number line, having students practice going from context or visual representations to symbolic ones will support student understanding of the symbols. While it is true that x > 2 is the more natural way to represent the sentence "the solutions are greater than two, students need the versatility of reading inequalities in both directions for compound inequalities. For example, 0 < x < 2 requires students to consider both 0 < x and x < 2.

5.3 Nix: Cancel

Because:

Cancel is a vague term that hides the actual mathematical operations being used, so students do not know when or why to use it. To many students, cancel is di-

$$\frac{5x}{5} = 10$$
$$x = 10$$

gested as "cross-out stuff by magic, so they see no problem with crossing out parts of an expression or across addition.

http://mathmistakes.org/?p=639

$$\frac{\tan(x)}{1+\sec(x)} + \frac{1+\sec(x)}{\tan(x)}$$

$$\frac{\tan(x)}{1+\sec(x)} + \frac{1+\sec(x)}{\tan(x)} = \frac{1}{1}$$

http://mathmistakes.org/?p=798

Fix:

Instead of saying cancel, require students to state a mathematical operation or description along with those lines drawn through things that "cancel. In fractions, we are dividing to get 1. Emphasizing the division helps students see that they cannot cancel over addition. On opposite sides of an equation, we are subtracting the same quantity from both sides or adding the opposite to both sides. Use the language of inverse operations, opposites and identities to precisely define the mysterious "cancel."

5.4 Nix: Take/Move to the Other Side

Because:

Taking and moving are not algebraic operations. There are mathematical terms for what you are doing, use them! When students think they can move things for any reason, they will neglect to use opposite operations.

$$2x+3=3x-4$$

 $5x+3=-4$

http://mathmistakes.org/?p=517

Fix:

Using mathematical operations and properties to describe what we are doing will help students develop more precise language. Start solving equations using the utmost precision: "We add the opposite to both sides. That gives us zero on the left and leaves the +4 on the right.

Similarly for multiplication and division, demonstrate: If I divide both sides by three, that will give one on the right and a three in the denominator on the left.


$$\frac{-4}{3} = \frac{3x}{3}$$
$$\frac{4}{3} = 1x$$

After time, students will be able to do some steps mentally and will omit the zero and the one in their written work, but they must be able to explain why the numbers disappeared. This is essential as when they reach more complex problem solving the identities may need to remain for the equation to make sense. For example, the one might be all that remains of the numerator of a fraction - the denominator must be under *something*!

5.5 Nix: Switch the Side and Switch the Sign

Because:

This ditty hides the actual operation being used. Students who memorize a rhyme have no idea what they are doing. This leads to misapplication and the inability to generalize appropriately.



Fix:

Talk about inverse operations or getting to zero (in the case of addition) or one (in the case of multiplication) instead. The big idea is to maintain the equality by doing the same operation to both quantities.

Interpreting Functions

6.1 Nix: What is b?

Because:

The answer to this question is, "b is a letter." It doesnt y = mx + b have any inherent meaning, instead ask students exactly what youre looking for, which is probably either the y-intercept or a point to use when graphing the line.

Fix:

There are many equations of a line, y = mx + b is just one of them. Given the goal of graphing, feel free to ask what the intercept is, but it is much easier to ask for any point. Have students pick a value for x (eventually they will gravitate toward zero anyway since it is easy to multiply by!) and then solve for y. This method works for any equation and it shows why we put the value of b on the y-axis. Remind students that, while b is a number, we are concerned with (0,b) which is a point.

Geometry

7.1 Nix: Distance Formula

Because: $D = \sqrt{(y_2 - y_1)^2 + (x_2 - x_1)^2}$

There is nothing inherently wrong with the distance formula, but please do not teach if before the Pythagorean Theorem! It is much harder for students to remember and does not provide any additional meaning.

Fix:

Just use the Pythagorean Theorem. Nothing more. It gives students practice solving equations. It is not a bad exercise to derive the distance formula, but please do not penalize a student who has not memorized it!

Appendix A

Index of Tricks by Standards

We used the Common Core State Standards.

```
4.NBT.A.2 Section 5.1 'Hungry' Inequality Symbols
5.OA.A.1
            Section 2.4 PEMDAS, BIDMAS
5.NF.A.1
            Section 3.1 Butterfly Method, Jesus Fish
6.EE.A.1
            Section 2.4 PEMDAS, BIDMAS
            Section 5.4 Take/Move to the Other Side
6.EE.B.7
            Section 5.5 Switch the Side, Switch the Sign
6.EE.B.7
6.NS.A.1
            Section 3.2 Cross Multiply (Fraction Division)
6.NS.A.1
            Section 3.3 Flip and Multiply, Same-Change-Flip
6.NS.B.4
            Section 4.1 FOIL
7.EE.B.4
            Section 5.2 Follow the Arrow (Graphing Inequalities)
            Section 5.4 Take/Move to the Other Side
7.EE.B.4
            Section 5.5 Switch the Side, Switch the Sign
7.EE.B.4
            Section 2.1 Same-Change-Change, Keep-Change-Change
7.NS.A.1
7.NS.A.1
            Section 2.2 Two Negatives Make a Positive (Integer Subtraction)
7.NS.A.2
            Section 2.3 Two Negatives Make a Positive (Integer Multiplication)
7.RP.A.3
            Section 3.4 Cross Multiply (Solving Proportions)
```

8.EE.A.2 8.EE.C.7 8.EE.C.7 8.F.A.3 8.G.B.8	Section 2.5 The Square Root and the Square Cancel Section 5.4 Take/Move to the Other Side Section 5.5 Switch the Side, Switch the Sign Section 6.1 What is b ? Section 7.1 Distance Formula
A-REI.A.1 A-REI.A.1 A-SSE.A.2	Section 5.4 Take/Move to the Other Side Section 5.5 Switch the Side, Switch the Sign Section 4.1 FOIL
F-BF.B.5	Section 2.6 The Log and the Exponent Cancel
G-GPE.B.7	Section 7.1 Distance Formula
SMP 6 SMP 6	Section 5.3 Cancel Section 5.4 Take/Move to the Other Side

Appendix B

Types of Tricks

B.1 Tricks Students Misinterpret

Section 2.4 PEMDAS, BIDMAS

Section 5.1 'Hungry' Inequality Symbols

Section 5.2 Follow the Arrow (Graphing Inequalities)

B.2 Methods Eliminating Options

Section 3.4 Cross Multiply (Solving Proportions)

Section 4.1 FOIL (Binomial Multiplication)

Section 6.1 What is b?

Section 7.1 Distance Formula

B.3 Math as Magic, Not Logic

Section 2.1 Same-Change-Change or Keep-Change-Change

Section 2.2 Two Negatives Make a Positive (Integer Addition)

Section 2.3 Two Negatives Make a Positive (Integer Multiplication)

Section 3.1 Butterfly Method, Jesus Fish

Section 3.2 Cross Multiply (Fraction Division)

Section 3.3 Flip-And-Multiply, Same-Change-Flip

Section 5.4 Take/Move to the Other Side

Section 5.5 Switch the Side and Switch the Sign

B.4 Imprecise Language

Section 2.5 The Square Root and the Square Cancel Section 2.6 The Log and the Exponent Cancel Section 5.3 Cancel

Visit www.mathtricks.ca

Appendix C

Back Cover

We are always adding new tricks, head to NixTheTricks.com to check out the ones currently in the commentary stage or submit a trick you hate to see.

"Every time my students do a trick they have learned somewhere, I say what they are really doing out loud.

-Julie Reulbach

"The worst thing about mnemonics is not that they almost always fall apart, they don't encourage understanding, and never justify anything; it's that they kill curiosity and creativity two important character traits that too many math teachers out there disregard."

-Martianson